## CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD CENTRAL VALLEY REGION

## Attachment E to Order R5-2012-XXXX DEFINITIONS, ACRONYMS & ABBREVIATIONS

WASTE DISHARGE REQUIREMENTS GENERAL ORDER FOR MEMBERS OF A THIRD-PARTY GROUP WITHIN THE TULARE LAKE BASIN, EXCLUDING THE AREA OF THE WESTLANDS STORM WATER COALITION

The following definitions, acronyms and abbreviations apply to this Order as related to discharges of waste from irrigated lands. All other terms shall have the same definitions as prescribed by the Porter-Cologne Water Quality Control Act (California Water Code Division 7), unless specified otherwise.

- 1. Anti-degradation Policy—The State Water Board Resolution 68-16, "Statement of Policy with Respect to Maintaining High Quality Waters in California," requires existing high quality water to be maintained until it has been demonstrated that any change will be consistent with maximum benefit to the people of the state, will not unreasonably affect present and anticipated beneficial use of water, and will not result in water quality less than that prescribed in Resolution 68-16. The Central Valley Water Board must require that discharges to high quality waters be subject to best practicable treatment or control of the discharge necessary to avoid pollution or nuisance and to maintain the highest water quality consistent with maximum benefit to the people of the state. Resolution 68-16 has been approved by the USEPA to be consistent with the federal anti-degradation policy.
- 2. Aquifer A geologic formation, group of formations, or portion of a formation capable of yielding usable quantities of groundwater to wells or springs (40 CFR Part 257.3-4).
- 3. Back flow prevention devices\_– Back flow prevention devices are installed at the well or pump to prevent contamination of groundwater or surface water when fertilizers, pesticides, fumigants, or other chemicals are applied through an irrigation system. Back flow prevention devices used to comply with this Order must be those approved by USEPA, DPR, DPH, or the local public health or water agency.<sup>1</sup>
  - 4. Basin Plan The Basin Plan is the Central Valley Regional Water Quality Control Plan for the Tulare Lake Basin. The Basin Plan describes how the quality of the surface and groundwater in the Central Valley Region should be managed to ensure reasonable protection of beneficial uses. The Basin Plan includes beneficial uses, water quality objectives, and a program of implementation.
  - 5. Certified Nutrient Management Specialist Certified nutrient management plan specialists include Professional Soil Scientists, Professional Agronomists, Crop Advisors<sup>2</sup> certified by the American Society of Agronomy, or Technical Service Providers certified in nutrient management

California Department of Public Health, Approved Backflow Prevention Devices List at <a href="http://www.cdph.ca.gov/certlic/drinkingwater/pages/publications.aspx">http://www.cdph.ca.gov/certlic/drinkingwater/pages/publications.aspx</a>. Requirements for backflow prevention for pesticide application are located in 6 CCR §6610.

July 2012

D

R

A

F

Т

Should the California Department of Food and Agriculture and the California Certified Crop Adviser's establish a specific nutrient management certification, any Certified Crop Adviser who prepares a nutrient management plan must have a nutrient management certification.

in California by the National Resource Conservation Service; or other specialist approved by the Executive Officer.

- 6. Degradation Any measurable adverse change in water quality.
- 7. Durov Diagrams A graphical representation of water quality. The Durov diagram is an alternative to the Piper diagram. The Durov diagram plots the major ions as percentages of milli-equivalents in two base triangles. The total cations and the total anions are set equal to 100% and the data points in the two triangles are projected onto a square grid which lies perpendicular to the third axis in each triangle. This plot reveals useful properties and relationships for large sample groups. The main purpose of the Durov diagram is to show clustering of data points to indicate samples that have similar compositions.
- 8. Ephemeral Stream A stream that flows for a short interval of time after precipitation or snow melt in the immediate area.
- 9. Exceedance For the purposes of this Order, an exceedance is a reading using a field instrument or detection by a California state-certified analytical laboratory where the detected result indicates an impact to the beneficial use of the receiving water when compared to a water quality objective for the parameter or constituent. Exceedances will be determined based on available data and application of the appropriate averaging period. The appropriate averaging period may be defined in the Basin Plan, as part of the water quality criteria established by the USEPA, or as part of the water quality criteria being used to interpret a narrative water quality objective. If averaging periods are not defined as part of the water quality objective or the water quality criteria being used, then the Central Valley Water Board may use its best professional judgment to determine an appropriate period.
- 10. Fertigation The process of applying fertilizer through an irrigation system by injecting the fertilizer into the irrigation water.
- 11. Final Annual Nitrogen Budget Worksheet Worksheet that is prepared by the Member that describes the actual nitrogen budget for the previous crop year for the crop or farm.
- 12. Groundwater Water in the ground that is in the zone of saturation. The upper surface of the saturate zone is called the water table.
- 13. High Quality Waters Resolution 68-16 refers to "existing quality of water [that] is better than quality established in policies as of the date such policies become effective, "<sup>3</sup> and 40 CFR 131.12 refers to "quality of waters [that] exceed levels necessary to support propagation of fish, shellfish, and wildlife and recreation." Such waters are "high quality waters" under the state and federal antidegradation policies. In other words, high quality waters are waters with a baseline background quality of better quality than that necessary to protect beneficial uses.<sup>4</sup>
- 14. Hydraulic conductivity The volume of water that will move through a medium (generally soil) in a unit of time under a unit hydraulic gradient through a unit area measured perpendicular to the direction of flow (a measure of a soils ability to transmit water).

Such policies would include policies such as SWRCB Resolution No. 88-63, Sources of Drinking Water Policy, establishing beneficial uses, and water quality control plans.

U

Δ

F

Т

<sup>&</sup>lt;sup>4</sup> US EPA Water Quality Handbook, Chapter 4 Antidegradation (40 CFR 131.12), defines "high quality waters" as "those whose quality exceeds that necessary to protect the section 101(a)(2) goals of the Act [Clean Water Act], regardless of use designation."

- 15. Hydraulic gradient The change in total hydraulic head per unit distance in a given direction yielding a maximum rate of decrease in hydraulic head.
- 16. Hydraulic Head The height relative to a datum plane (generally sea level) of a column of water that can be supported by the hydraulic pressure at a given point in a groundwater system. For a well, the hydraulic head is equal to the distance between the water level in the well and the datum plane (sea level).
- 17. Impaired water body A surface water body that is not attaining water quality standards and is identified on the State Water Board's Clean Water Act section 303(d) list.
- 18. Intermittent Stream A stream that goes dry at certain times of the year. Intermittent streams flow during seasons of the year when runoff and/or groundwater contributions sustain the flow in the stream and stop following when precipitation is low and/or the water table drops below the bed of the stream.
- 19. Irrigated lands Land irrigated to produce crops or pasture for commercial purposes<sup>5</sup>; nurseries; and privately and publicly managed wetlands.
- 20. Irrigation return flow/runoff Surface and subsurface water which leaves the field following application of irrigation water.
- 21. Kriging A group of geostatistical techniques to interpolate the value of a random field (e.g., contaminant level in groundwater) at an unobserved location from observations of its value at nearby locations.
- 22. Management practices to protect water quality A practice or combination of practices that is the most effective and practicable (including technological, economic, and institutional considerations) means of controlling nonpoint pollutant sources at levels protective of water quality.
- 23. Member –owners and/or operators of irrigated lands within the Tulare Lake Basin (excluding the area of the Westlands Stormwater Coalition) that are members of the third-party group implementing this Order.
- 24. Monitoring Monitoring undertaken in connection with assessing water quality conditions, and factors that may affect water quality conditions. Monitoring includes, but is not limited to, water quality monitoring undertaken in connection with agricultural activities, monitoring to identify short and long-term trends in water quality, nutrient monitoring, active inspections of operations, and management practice implementation and effectiveness monitoring. The purposes of monitoring include, but are not limited to, verifying the adequacy and effectiveness of the Order's requirements, and evaluating each Member's compliance with the requirements of the Order.

D

R

A

F

T

For the purposes of this Order, commercial irrigated lands are irrigated lands that have one or more of the following characteristics:

<sup>•</sup> The landowner or operator holds a current Operator Identification Number/ Permit Number for pesticide use reporting:

<sup>•</sup> The crop is sold to a third party including, but not limited to, (1) an industry cooperative, (2) harvest crew/company, or (3) a direct marketing location, such as farmers' markets;

<sup>•</sup> The landowner or operator files federal taxes using federal Department of Treasury Internal Revenue Service Form 1040, Schedule F *Profit or Loss from Farming*.

- 25. Nonpoint source waste discharge The Tulare Lake Basin Plan states that "A nonpoint source discharge usually refers to waste emanating from diffused locations." Nonpoint source pollution generally results from land runoff, precipitation, atmospheric deposition, drainage, seepage or hydrologic modification. The term "nonpoint source" is defined to mean any source of water pollution that does not meet the legal definition of "point source" in section 502(14) of the Clean Water Act. The Clean Water Act (CWA) defines a point source as a discernible, confined, and discrete conveyance, such as a pipe, ditch, or channel. Irrigated agricultural return flows and agricultural storm water runoff are excluded from the CWA's definition of point source. Nonpoint pollution sources generally are sources of water pollution that do not meet the definition of a point source as defined by the CWA.
- 26. Nuisance "Nuisance" is defined at section 13050 of the Water Code as "...anything which meets all of the following requirements:
  - (1) Is injurious to health, or is indecent or offensive to the senses, or an obstruction to the free use of property, so as to interfere with the comfortable enjoyment of life or property.
  - (2) Affects at the same time an entire community or neighborhood, or any considerable number of persons, although the extent of the annoyance or damage inflicted upon individuals may be unequal.
  - (3) Occur during, or as a result of, the treatment or disposal of wastes."
- 27. Nutrient Any element taken in by an organism which is essential to its growth and which is used by the organism in its metabolic process.
- 28. Off-property discharge The discharge or release of waste beyond the boundaries of the agricultural operation or to water bodies that run through the agricultural operation.
- 29. Operation A distinct farming business, organized as a sole proprietorship, partnership, corporation, limited liability company, cooperative, or other business entity.
- 30. Operator The person, including, but not limited to a farm/ranch manager, lessee or sub-lessee, responsible for or otherwise directing farming operations in decisions that may result in a discharge of waste to surface water or groundwater.
- 31. Perched groundwater Groundwater separated from an underlying body of groundwater by an unsaturated zone.
- 32. Piper Diagram A graphical representation of the chemistry of a water sample. The relative abundance of cations as percentages of milli-equivalents per liter (meq/L) of sodium, potassium, calcium, and magnesium are first plotted on the cation triangle. The relative abundance of chloride, sulfate, bicarbonate, and carbonate is then plotted on the anion triangle. The two data points on the cation and anion triangles are then combined into the quadrilateral field that shows the overall chemical property of the water sample.
- 33. Pollution Defined in section 13050(I)(1) of the Porter-Cologne Water Quality Control Act as "...an alteration of the quality of the waters of the state by waste to a degree which unreasonably affects either of the following: (A) The waters for beneficial uses. (B) Facilities which serve these beneficial uses."
- 34. Proposed Annual Nitrogen Budget Worksheet Worksheet that is prepared by the Member that indicates the anticipated nitrogen budget for the upcoming crop year.

R

A

F

Т

- 35. Receiving waters Surface water or groundwater that receives or has the potential to receive discharges of waste from irrigated lands.
- 36. Requirements of applicable water quality control plans Water quality objectives, prohibitions, total maximum daily load implementation plans, or other requirements contained in water quality control plans adopted by the Central Valley Water Board and approved according to applicable law.
- 37. Rubbish, refuse, or other solid waste Examples of this type of waste include, but are not limited to metal, plastic, glass, paper, tires, deceased animals, containers, garbage, and crop vegetative waste.
- 38. Salt The products other than water of the reaction of an acid with a base. Salts commonly break up into cations (positively charged ions) such as sodium, calcium, etc. and anions (negatively charged ions) such as chloride, sulfate, etc. when dissolved in water. Total dissolved solids and electrical conductivity are used as general estimate of the amount of salts in a water or wastewater.
- 39. Stiff Diagram A graphical representation of the chemistry of a water sample. A polygon shaped figure created from four parallel horizontal axes using the equivalent charge concentrations (meq/L) of cations and anions. Cations are plotted on the left of the vertical zero axis and anions are plotted on the right.
- 40. Stormwater runoff The runoff of precipitation from irrigated lands.
- 41. Subsurface drainage Water generated by installing and operating drainage systems to lower the water table below irrigated lands. Subsurface drainage systems, deep open drainage ditches, or drainage wells can generate this drainage.
- 42. Surface water Water pooled or collected at or above ground level. Surface waters include, but are not limited to, natural streams, lakes, wetlands, creeks, constructed agricultural drains, agricultural dominated waterways, irrigation and flood control channels, or other non-stream tributaries. Surface waters include all waters of the United States and their tributaries, interstate waters and their tributaries, intrastate waters, and all impoundments of these waters. For the purposes of this Order, surface waters do not include water in agricultural fields.
- 43. Tailwater The runoff of irrigation water from an irrigated field.
- 44. Total Maximum Daily Load (TMDL) From the Code of Federal Regulations (CFR), 40 CFR 130.2(i), a TMDL is: "The sum of the individual WLAs [wasteload allocations] for point sources and LAs [load allocations] for nonpoint sources and natural background. ... TMDLs can be expressed in terms of either mass per time, toxicity, or other appropriate measure. ...".
- 45. Toxicity Refers to the toxic effect to aquatic organisms from waste contained in an ambient water quality sample.
- 46. Unsaturated Zone The zone between the land surface and the deepest water table which includes the capillary fringe. Water in this zone is generally under less than atmospheric pressure, and some of the voids may contain air or other gases at atmospheric pressure. Beneath flooded areas or in perched water bodies the water pressure locally may be greater than atmospheric.

D

R

A

ŀ

- 47. Vadose Zone See unsaturated zone.
- 48. Waste Includes sewage and any and all other waste substances, liquid, solid, gaseous, or radioactive, associated with human habitation, or of human or animal origin, or from any producing, manufacturing, or processing operation, including waste placed within containers of whatever nature prior to, and for the purposes of disposal as defined in California Water Code section 13050 (d). Waste from irrigated lands that conform to this definition include, but are not limited to, earthen materials (such as soil, silt, sand, clay, rock), inorganic materials (such as metals, salts, boron, selenium, potassium, nitrogen, phosphorus), organic materials (such as pesticides), and biological materials (such as pathogenic organisms). Such wastes may directly impact beneficial uses (e.g., toxicity of metals to aquatic life) or may impact water, temperature, pH, and dissolved oxygen.
- 49. Waste discharges from irrigated lands The discharge or release of waste to surface water or groundwater. Waste discharges to surface water include, but are not limited to, irrigation return flows, tailwater, drainage water, subsurface (tile) drains, stormwater runoff flowing from irrigated lands, aerial drift, and overspraying of pesticides. Waste can be discharged to groundwater through pathways including, but not limited to, percolation of irrigation or storm water through the subsurface, backflow of waste into wells (e.g., backflow during chemigation), discharges into unprotected wells and dry wells, and leaching of waste from tailwater ponds or sedimentation basins to groundwater.

A discharge of waste subject to the Order is one that could directly or indirectly reach waters of the state, which includes both surface waters and groundwaters. Direct discharges may include, for example, discharges directly from piping, tile drains, wells, ditches or sheet flow to waters of the state, or percolation of wastes through the soil to groundwater. Indirect discharges may include aerial drift or discharges from one parcel to another parcel and then to waters of the state. See also the definition for "waste".

- 50. Waters of the State Is defined in Water Code section 13050 as "any surface water or groundwater, including saline waters, within the boundaries of the State."
- 51. Water Quality Criteria Levels of water quality required under section 303(c) of the Clean Water Act that are expected to render a body of water suitable for its designated uses. Criteria are based on specific levels of pollutants that would make the water harmful if used for drinking, swimming, farming, fish production, or industrial processes. The *California Toxics Rule* adopted by USEPA in April 200 sets numeric water quality criteria for non-ocean surface waters of California for a number of toxic pollutants.
- 52. Water Quality Objectives Defined in Water Code section 13050 as "limits or levels of water quality constituents or characteristics which are established for the reasonable protection of beneficial uses of water or the prevention of nuisance within a specified area." Water quality objectives may be either numerical or narrative and serve as water quality criteria for purposes of section 303 of the Clean Water Act.
- 53. Water quality problem Exceedance of an applicable water quality objective or a trend of degradation of a high quality water that may threaten applicable Basin Plan beneficial uses.
- 54. Water Quality Standards Provision of state or federal law that consist of the designated beneficial uses of a waterbody, the numeric and narrative water quality criteria that are necessary to protect the uses of that particular waterbody, and an antidegradation statement. Water quality standards include water quality objectives in the Central Valley Water Board's two

D

R

A

Г

Basin Plans, water quality criteria in the California Toxics Rule and National Toxics Rule adopted by USEPA, and/or water quality objectives in other applicable State Water Board plans and policies. Under section 303 of the Clean Water Act, each state is required to adopt water quality standards.

R A F

## **Acronyms and Abbreviations**

2008 Farm Bill	Food, Conservation, and Energy Act of 2008
AMR	annual monitoring report
Basin Plan	Water Quality Control Plan for the Tulare Lake Basin (2 <sup>nd</sup> Ed.)
BPTC	best practicable treatment or control
CAC	county agricultural commissioner
CCR	California Code of Regulations
CEDEN	California Environmental Data Exchange Network
Central Valley Water	California Regional Water Quality Control Board, Central Valley
Board	Region
CEQA	California Environmental Quality Act
COC	constituent of concern OR chain of custody
CRHR	California Register of Historic Resources
CTR	California Toxics Rule
CV RDC	Central Valley Regional Data Center
CV-SALTS	Central Valley Salinity Alternatives for Long-Term Sustainability
CWC	California Water Code
DO	dissolved oxygen
DPH	California Department of Public Health
DPM	diesel particulate matter
DPR	California Department of Pesticide Regulation
DWR	California Department of Water Resources
ECR	Existing Conditions Report
EDD	electronic data deliverable
EIR	environmental impact report
EPA	U.S. Environmental Protection Agency
EQIP	Environmental Quality Incentives Program
ESA	federal Endangered Species Act
FWQMP	farm water quality management plan
GeoTracker ESI	GeoTracker Electronic Submittal of Information Online System
GIS	Geographic Information System
GPS	Global Positioning System
GQMP	groundwater quality management plan
HAPs	hazardous air pollutants
ILRP	Long-Term Irrigated Lands Regulatory Program
MDL	method detection limit
MLD	most likely descendant
MMRP	mitigation monitoring and reporting program
MRP	monitoring and reporting program
MRPP	monitoring and reporting program plan
MWICR	Monitoring Well Installation Completion Report
MWISP	Monitoring Well Installation and Sampling Plan
NAD83	North American Datum 1983
NAHC	Native American Heritage Commission
NAVD88	North American Vertical Datum 1988

D R A F T

NMFS	National Marine Fisheries Service
NMP	nutrient management plan
NOA	Notice of Applicability
NOC	Notice of Certification
NOI	Notice of Intent
NOT	Notice of Termination
NPDES	National Pollutant Discharge Elimination System
NPS	nonpoint source
NPS Policy	State Water Board's Policy for Implementation and Enforcement of the Nonpoint Source Pollution Control Program
NRHP	National Register of Historic Places
NTR	National Toxics Rule
PAMs	polyacrylamides
PCPA	Pesticide Contamination and Prevention Act
PEIR	Long-Term Irrigated Lands Regulatory Program Final Program EIR (Final and Draft) (Certified by Resolution R5-2011-0017)
PRC	California Public Resources Code
PUR	Pesticide Use Report, CA DPR
QAPP	Quality Assurance Project Plan
QA/QC	quality assurance and quality control
RGMP	representative groundwater monitoring program
RL	reporting limit
RWD	report of waste discharge
SB	Senate Bill
SIP	Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of CA (State Implementation Plan)
SQMP	surface water quality management plan
SSJVWQC	Southern San Joaquin Valley Water Quality Coalition
SRMR	Summary Representative Monitoring Report
State Water Board	State Water Resources Control Board
SWAMP	Surface Water Ambient Monitoring Program
TAC	toxic air contaminant
TDS	total dissolved solids
TIE	Toxicity Identification Evaluation
TMDL	total maximum daily load
TST	Test of Significant Toxicity (USEPA method)
USACE	U.S. Army Corps of Engineers
USEPA	U.S. Environmental Protection Agency
USFWS	U.S. Fish and Wildlife Service
WDRs	waste discharge requirements